

LWSF
12.3.360.1
12/29/2011

KAISER GYPSUM COMPANY, INC.'S SUPPLEMENTAL RESPONSE TO

U.S. ENVIRONMENTAL PROTECTION AGENCY

RECEIVED

CERCLA SECTION 104(e)

DEC 30 2011

INFORMATION REQUEST

Environmental
Cleanup Office

Respondent: Kaiser Gypsum Company, Inc.

Site: Lower Duwamish Waterway, Seattle, WA
5931 East Marginal Way S.
Seattle, WA

King County Parcels: 1924049092 and 5367204505

Date: First involvement at the Site to present

On or about February 22, 2010, Kaiser Gypsum Company, Inc. ("KGC") was served with a Request for Information (the "Request") from the United States Environmental Protection Agency ("USEPA") issued pursuant to Section 104(e) of the Comprehensive Environmental Response, Compensation, and Liability Act ("CERCLA"), 42 U.S.C. § 9604(e), regarding the Lower Duwamish Waterway Superfund Site located in King County, Seattle, Washington ("Site"). Pursuant to an extension granted by the USEPA, the deadline for KGC's initial response to the Request was June 23, 2010. KGC submitted *Kaiser Gypsum Company, Inc.'s Initial Response to U.S. Environmental Protection Agency CERCLA Section 104(e) Information Request* to USEPA on June 23, 2011 (the "Initial Response").

In the Initial Response, KGC informed USEPA that its sole knowledge of KGC's involvement and activities on or near the Lower Duwamish Waterway were contained within the historical documents located in a document repository in California. The repository contained more than 7,500 boxes of documents that potentially could have contained documents responsive to the Request. Accordingly, KGC sought and received from USEPA additional time to review the apparent responsive documents in its document repository so that it could prepare and submit this supplemental response to the Request.

KGC hereby restates its objections and submits its supplemental responses to the Request (this "Supplemental Response"), and states as follows:

REVISED INITIAL STATEMENT

In 1952, KGC acquired real property on the eastside of the Lower Duwamish Waterway ("LDW") located at 5931 East Marginal Way S. in Seattle, Washington (King County Parcel No. 1924049092). In July 1953, KGC's Board of Directors approved the expenditure of \$4.1 million for the construction of a plaster and wallboard plant on the Seattle property. In late 1953, KGC



acquired additional real property along the LDW and construction of the Seattle gypsum wallboard plant began in January 1954. Production at the gypsum wallboard and plaster plant began in October 1954. In February 1978, KGC sold the real property and certain personal property associated with the Seattle gypsum wallboard and plaster plant, including machinery, tools, appliances, vehicles, furniture, equipment and other personal property, to Norwest Gypsum, Inc. This sale ended KGC's active business operations on the LDW.

According to historical records, KGC also leased 40,000 square feet of real property and 25,000 square feet of a warehouse located at First Avenue South and Front Street (King County Parcel No. 5367204505) in March 1969. This leased property was used as a plaster and wallboard accessories plant. The accessories plant equipment and inventories were sold and the leased property sublet to Pro-Line Products, Inc. on or about March 1, 1976. The lease and sublease were terminated on April 30, 1979.

KGC is a corporation incorporated in the State of Washington; however, KGC has not conducted active business operations since the early 1980s. It has been at least 33 years since KGC sold its E. Marginal Way facility to Norwest Gypsum, Inc. At or around the time that it ceased active business operations, KGC collected certain of its business records and sent them to storage facilities in California. Many of these documents are still stored in California and are subject to strict retention directives related to ongoing litigation involving KGC. All knowledge of KGC's facilities and operations, including the Seattle facilities, is contained in the document repository in California. This repository contains over 7,500 boxes of historical documents relating to the operations of KGC, its parent Kaiser Cement Corporation, and other affiliated entities.

KGC has no current employees; and, upon information and belief, all former employees of KGC with knowledge of its operations at the Seattle properties have either passed away, or the whereabouts of such former employees are unknown. KGC's current officers and directors were not employees of KGC or affiliated with KGC at the time KGC conducted active business operations. Therefore, this Supplemental Response to the Request is based solely on a review of historical documents, title records, and current corporate documents by counsel for KGC.

Over the last 16 months, the process of researching and creating an understanding of the Seattle facilities' history has been a tedious and time consuming process for KGC's internal and outside counsel. This process included review of over 11,000 pages of available box indices in order to determine which boxes out of the over 7,500 boxes of documents stored in the storage facilities in California may contain information relevant to this Request. The box indices and descriptions of the historical documents in the individual boxes were not created for the purpose of responding to this Request, but were created by historic corporate operations and employees that are no longer available; therefore, developing an understanding of the common references used internally by KGC to describe its Seattle facilities and the types of documents created by it in its development and operation of the facilities was of primary importance in determining which boxes to request for review. Ultimately, more than 400,000 pages of historical documents were reviewed for responsiveness to this Request, and KGC has prepared this Supplemental Response based solely on the information gleaned from these historical documents.

GENERAL OBJECTIONS

KGC makes the following general objections to each individually numbered and segregated request for information contained in the Request, and to the definitions and instructions contained in the Request, to the extent applicable, on the following bases, as if each of the following general objections were repeated in full in KGC's response to each individual request:

1. KGC objects to USEPA's statement "Incomplete, evasive or ambiguous answers shall constitute failure to respond" KGC has no way to determine in advance which types of answers USEPA will deem to be incomplete, evasive or ambiguous. KGC has made a good faith effort to provide complete, forthright and unambiguous answers.

2. KGC objects to USEPA's statement that "regardless of the assertion of any privilege, any facts contained in the document which are responsive to the Information Request must be disclosed in your response . . . ," as contrary to law. Attorney-client privileged communications do not lose their privileged status because they contain factual information, and the entirety of any privileged communication is protected from disclosure, even the factual information contained therein. Without waiving, limiting or otherwise prejudicing the foregoing objection, and while preserving all rights and defenses that it may have with respect to information that may be protected from disclosure under the work product doctrine, attorney-client privilege or other applicable privilege or protection from disclosure, KGC has made a good faith effort to disclose relevant facts within its possession.

3. KGC objects to USEPA's definition of "business activities" as overly-broad, unduly burdensome and oppressive.

4. KGC objects to USEPA's definition of the term "material" because it includes "all raw materials, commercial products, wastes, chemicals, substances, or matter of any kind." This definition is so vague, ambiguous, overly-broad and unduly burdensome that it could be interpreted to mean literally anything. As such, it is not possible for KGC to provide responses which take this definition into account. KGC has made a good faith effort to disclose relevant facts within its possession.

5. KGC objects to USEPA's definition of "Property" on the grounds that it includes "personal property" and "fee interests, leases, licenses, rental and mineral rights." As such, the definition is vague, ambiguous, overly-broad and unduly burdensome. Answers in this Response are limited to immovable property and fixtures thereon.

6. KGC objects to USEPA's Request, including without limitation the instructions and definitions thereof, to the extent that it seeks or requests information, documents, or actions of KGC that go beyond the scope of USEPA's authorization under CERCLA, including without limitation, 42 U.S.C. § 9604(e).

INFORMATION REQUESTS

1. Respondent Information

a. Provide the full legal name and mailing address of the Respondent.

Response: Kaiser Gypsum Company, Inc., 300 E. John Carpenter Freeway, Suite 1800, Irving, Texas 75062.

b. For each person answering these questions on behalf of Respondent, provide:

i. full name;

ii. title;

iii. business address; and

iv. business telephone number and FAX machine number.

Response: All answers contained in this Supplemental Response, except for those questions concerning corporate ownership and governance, were prepared by or at the instruction of in-house and outside counsel on behalf of KGC based on a review of historical documents. KGC's in-house counsel is:

Charles E. McChesney II
Chief Legal Counsel
Three Rivers Management, Inc.
agent for Kaiser Gypsum Company, Inc.
Manor Oak One, Suite 200
1910 Cochran Road
Pittsburgh, PA, 15220
Phone: 412-208-8839
Fax: 412-208-8803
charles.mcchesney@trmi.biz.

c. If Respondent wishes to designate an individual for all future correspondence concerning this Site, please indicate here by providing that individual's name, address, telephone number, and fax number.

Response: Please direct all future communications to the following:

Charles E. McChesney II
Chief Legal Counsel
Three Rivers Management, Inc.
agent for Kaiser Gypsum Company, Inc.
Manor Oak One, Suite 200
1910 Cochran Road
Pittsburgh, PA, 15220

Phone: 412-208-8839
Fax: 412-208-8803
charles.mcchesney@trmi.biz.

- d. *State the dates during which Respondent held any property interests at or within one-half mile of the Site.*

Response: KGC purchased the real property located at 5931 East Marginal Way S. in Seattle, Washington (King County Parcel No. 1924049092) in separate transactions on August 1, 1952 and December 7, 1953. KGC sold all interest in this property on February 14, 1978 to Norwest Gypsum, Inc. (See enclosed Agreement for Sale of Assets).

KGC also leased 40,000 square feet of real property and 25,000 square feet of a warehouse located at First Avenue South and Front Street in March 1969. The lease was for a 10-year term commencing on May 1, 1969 and ending on April 30, 1979. The lease property was sublet to Pro-Line Products, Inc. on or about March 1, 1976. The lease and sublease were terminated on April 30, 1979.¹

All documents responsive to this request are contained on Disk No. 2, Folder 1.d.

- e. *State the dates during which Respondent conducted any business activity at or within one-half mile of the Site.*

Response: KGC operated a manufacturing facility on the property at 5931 East Marginal Way S. that produced plaster, wallboard, and wallboard-related products from September 1954 to February 1978. KGC operated a wallboard and plaster accessories plant on leased property located at First Avenue South and Front Street from May 1969 to March 1976.

- f. *Describe the nature of Respondent's business activities at the Site or within one-half mile of the Site.*

Response: See response to Question 1(e) above as if fully set forth herein.

- g. *In relation to your answer to the previous question, identify all materials used or created by your activities at the Site, including raw materials, commercial products, building debris, and other wastes.*

Response: KGC objects to the term "activities" on the grounds that it is vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the term "activities."

KGC was a manufacturer and seller of wallboard and wallboard related products, including wallboard, wallboard accessory products, gypsum lath, and gypsum plaster.

¹ KGC's owned and leased properties near the Lower Duwamish Waterway will hereinafter be collectively referred to as the "Seattle Properties."

KGC, from its manufacturing facility, also sold raw or slightly modified gypsum to various customers for their use in the manufacture of products that included gypsum.

KGC's historical records included numerous "Product Bulletins" that describe certain products that were identified as being produced at the Seattle gypsum plant (as well as other KGC plants) and the raw materials that were used to produce gypsum board, wallboard, sheathing, lath, soffit board, backerboard, dunnage, plaster, and accessory products (joint and topping compound, wall and ceiling texture, stucco, etc.). These Product Bulletins are dated (1956 to 1977), however, it was impossible to fully understand the precise time periods that these products were or may have been produced at the Seattle plant and the quantities of such products and raw materials that were produced, stored, or handled at the plant during any given time period. A summary of the Product Bulletins are enclosed herewith as Appendix A.

KGC's historical records also contained plant inventory and general ledger records for select months or days in 1967, 1968, 1974, 1976, 1977, and 1978. These inventory and general ledger records appear to show the existing inventory of raw materials and operating supplies on the gypsum and/or accessories plant at that given time. In addition, KGC's historical records contained purchase orders, supply contracts, invoices, letters, and freight bills that appear to describe materials being purchased and/or shipped to or from the Seattle facilities. Finally, KGC located in its review of historical records a few memorandums, reports, and other miscellaneous documents describing raw materials that were either delivered to or transferred from the Seattle facilities during KGC's ownership.

All documents responsive to this request are contained on Disk No. 2, Folder 1.g.

- h. If Respondent, its parent corporation, subsidiaries or other related or associated companies have filed for bankruptcy, provide:*
- i. the U.S. Bankruptcy Court in which the petition was filed;*
 - ii. the docket numbers of such petition;*
 - iii. the date the bankruptcy petition was filed;*
 - iv. whether the petition is under Chapter 7 (liquidation), Chapter 11 (reorganization), or other provision; and*
 - v. a brief description of the current status of the petition.*

Response: KGC objects to the terms "other related or associated companies" on the grounds that it is vague, ambiguous and overly broad and KGC does not know what meaning USEPA attaches to such terms. Nevertheless, without waiving the foregoing objection, based on available information, neither KGC, its parent corporation or any subsidiaries have filed for bankruptcy.

2. Site Activities and Interests

- a. *Provide all documents in your possession regarding the ownership or environmental conditions of the Site, including, but not limited to, copies of deeds, sales contracts, leases, blueprints, "as-builts" and photographs. Environmental conditions of the Site includes information related to soil, sediment, water (ground and surface), and air quality, such as, but not limited to:*

Response: KGC objects to the term "environmental conditions" on the grounds that it is overly broad, vague and ambiguous. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the term "environmental conditions."

After conducting an extensive review of KGC's historical documents, KGC located numerous drawings, maps, blueprints, or other documents describing or depicting the facilities constructed or to be constructed at the gypsum wallboard and plaster plant. KGC is unable, however, to confirm or deny whether these documents reflect the "as-built" conditions at the gypsum plant during any specific period of time. KGC identified two responsive aerial photographs showing the Seattle gypsum wallboard and plaster plant taken in or about 1956 and 1963. (See KG2002773 and KG2006074, respectively).

KGC identified the documents, including deeds, easements, and other real estate transaction documents, relevant to KGC's acquisition of the real property from Henry J. Kaiser Company and Permanente Cement Company in 1952 and 1953, respectively.

KGC located copies of the deeds, legal descriptions, easements, general ledger records, title insurance, and other real estate related documents for the parcels it acquired to construct the gypsum wallboard and plaster plant, as well as the sales contract for the sale of the real property, equipment and other personal property comprising the gypsum plaster and wallboard plant to Norwest Gypsum in 1978. Additionally, KGC found news articles and photographs regarding its sale of the gypsum facility to Norwest Gypsum.

KGC also located the 1969 lease and other documents referring to KGC's lease of real property and a warehouse for use as the plaster and wallboard accessories plant.

All documents responsive to this request are contained on Disk No. 2, Folder 2.a.

- i. *Any spill, leak, release, or discharge of a hazardous substance, waste, or material at or near the Site;*

Response: KGC objects to the term "hazardous substance" on the grounds that it is vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the term "hazardous substance."

After conducting an extensive review of KGC's historical documents, KGC did not find any documents describing the spill, leak, release, or discharge of a hazardous substance, waste, or material at or near its Seattle Properties.

- ii. *Occurrences of violations, citations, deficiencies, and/or accidents concerning the Site;*

Response: Notwithstanding the foregoing objection and after conducting an extensive review of KGC's historical documents, KGC only found two documents that referenced alleged violations of a directive titled "Preventing Particulate Matter from Becoming Airborne" issued by the Puget Sound Air Pollution Control Agency in 1971. (See KG2002066 and KG2002072-2073). These two documents describe an Authority for Expenditure work sheet outlining KGC's expenditure of funds to address these alleged air emissions violations. KGC did not find any other documents supporting these alleged violations or otherwise describing occurrences of violations, citations, deficiencies, and/or accidents concerning its Seattle Properties.

All documents responsive to this request are contained on Disk No. 2, Folder 2.a.

- iii. *Remediation or removal of contaminated soils, sediments, or other media at the Site; and*

Response: Notwithstanding the foregoing objection and after conducting an extensive review of KGC's historical documents, KGC did not find any documents describing remediation or removal of contaminated soils, sediments, or other media at its Seattle Properties.

- iv. *Investigations, inspections, sampling, and reports generated by Respondent and/or others regarding the Site and surrounding area.*

Response: Notwithstanding the foregoing objection and after conducting an extensive review of KGC's historical documents, KGC did not find any documents describing investigations, inspections, sampling, and reports generated by KGC and/or others regarding its Seattle Properties or the surrounding area.

- b. *Provide information on the condition of the Site when purchased or at the beginning of the relevant time period; describe the source, volume, and content of any fill material used during the construction of the buildings, including waterside structures such as seawalls, wharves, docks, or marine ways. Additionally, describe any subsequent improvements, alterations, demolitions, or additions to the physical structures or the Site itself.*

Response: KGC objects to the terms "condition of the Site" on the grounds that it is overly broad, vague and ambiguous. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the terms "condition of the Site."

After conducting an extensive review of KGC's historical documents, KGC located documents referring to its initial construction of the gypsum wallboard plant in 1953-1954, including letters, memorandums, cost estimates, engineering plans and specifications, contracts, purchase orders, permits, and other documents. In addition, KGC identified numerous documents describing physical improvements to the property

and facilities that apparently occurred after the initial construction of the gypsum plant; including paving, buildings and other structures, storage tanks, machinery, lighting, railroad tracks, truck loading facilities, and other site improvements during its ownership of the Seattle Properties.

In the early 1970s, the documents indicate that KGC made improvements to its pollution control systems, including the installation of dust control, collection and suppression systems on its calcining kettles, conveyors, and ship unloader.

Based on the historical records, it does not appear that KGC owned the dock facilities that served its gypsum plant. KGC had authorization from the owner of those facilities, Kaiser Cement Corporation, to use the dock facilities attached to the Kaiser Cement Corporation property immediately to the south of the gypsum plant site. At the time of the sale of the gypsum plant and property to Norwest Gypsum, Kaiser Cement Corporation granted easement access to Norwest Gypsum for use of the dock to serve the gypsum plant.

All documents responsive to this request are contained on Disk No. 2, Folder 2.b.

c. *Provide information on past dredging or future planned dredging at this Site.*

Response: After conducting an extensive review of KGC's historical documents, KGC did not find any documents providing information on past dredging at its Seattle Properties. KGC has not had any ownership interest in the former Seattle Properties for several decades and therefore has no knowledge or information regarding any future planned dredging at this Site.

d. *Provide a brief summary of the activities conducted at the Site while under Respondent's ownership or operation. Include process diagrams or flow charts of the industrial activities conducted at the Site.*

Response: KGC objects to the terms "activities" and "industrial activities" on the grounds that they are vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the terms "activities" and "industrial activities."

KGC was a manufacturer and seller of wallboard and wallboard related products, including wallboard, wallboard accessory products, gypsum lath, and gypsum plaster. After conducting an extensive review of KGC's historical documents, KGC did locate a few documents that describe the facilities and operations of its gypsum wallboard plant. These documents include drawings, accounting records, memorandums, and reports. Some of these documents were referred to and provided with KGC's response to Questions 1.g., 2.a., and 2.b. above.

All documents responsive to this request are contained on Disk No. 2, Folder 2.d.

- e. *Provide all documents pertaining to sale, transfer, delivery, disposal, of any hazardous substances, scrap materials, and/or recyclable materials to this property.*

Response: KGC objects to the terms "hazardous substances," "scrap materials," and "recyclable materials" on the grounds that they are vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the terms "hazardous substances," "scrap materials," and "recyclable materials."

After conducting an extensive review of KGC's historical documents, KGC did not find any documents pertaining to sale, transfer, delivery, disposal, of any hazardous substances, scrap materials, and/or recyclable materials to its Seattle Properties.

All documents responsive to this request are contained on Disk No. 2, Folder 2.e.

- f. *Provide all information on electrical equipment used at the Site, including transformers or other electrical equipment that may have contained polychlorinated biphenyls (PCBs).*

Response: KGC objects to the term "electrical equipment" on the grounds it is vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC will respond in good faith to provide information that may be relevant to USEPA's inquiry concerning what KGC understands to be the meaning of the term "electrical equipment."

After conducting an extensive review of KGC's historical documents, KGC located a number of historical documents relating to equipment that could be characterized as "electrical equipment." Most of these documents are purchase orders or invoices for equipment purchased by KGC for likely use in its Seattle facilities. None of these documents, however, contain any information regarding transformers or other electrical equipment containing polychlorinated biphenyls.

All documents responsive to this request are contained on Disk No. 2, Folder 2.f.

- g. *Provide information on the type(s) of oils or fluids used for lubrication of machinery or other industrial purposes, and any other chemicals or products which are or may contain hazardous substances which are or were used at the Site for facility operations.*

Response: KGC objects to the terms "industrial purposes," "products" and "hazardous substances" on the grounds they are vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the terms "industrial purposes," "products" and "hazardous substances."

After conducting an extensive review of KGC's historical documents, KGC located some records showing the purchase, use, and/or storage of oils, lubricants, fuels, and other petroleum products at its gypsum wallboard plant. These records include:

supply contracts, purchase orders, and invoices for gasoline and other fuel oils and accounting and general ledger records showing petroleum product purchases. The Product Bulletins and plant inventory records described in KGC's response to Question 1.g. above also may identify certain chemicals or products that are responsive to this request.

All documents responsive to this request are contained on Disk No. 2, Folder 2.g.

- h. Provide any site drainage descriptions, plans or maps that include information about storm drainage which includes, but is not limited to, above or below surface piping, ditches, catch basins, manholes, and treatment/detention or related structures including outfalls. If available, also include information about connections to sanitary sewer.*

Response: After conducting an extensive review of KGC's historical documents, KGC located a few documents referencing communications with the City of Seattle concerning the construction of a sewer connection during the initial construction of the gypsum wallboard plant. These communications reference the fact that KGC's new sewer connection was expected to have a grade of less than the minimum two percent grade requiring KGC to enter into an indemnity agreement with the City regarding future damages resulting from such connection.

Certain drawings, maps, or site plans referenced and provided with KGC's response to Question 2.a. above could contain information about storm drainage. Also, the detailed plans for the initial construction of the gypsum wallboard plant described in and provided with KGC's response to Question 2.b. above describe aspects of the sanitary and storm sewer connections constructed at that time.

All documents responsive to this request are contained on Disk No. 2, Folder 2.h.

- i. With respect to past site activities, please provide copies of any stormwater or drainage studies, including data from sampling, conducted at the Site. Also provide copies of any Stormwater Pollution Prevention, Maintenance Plans, Spill Plans, and any stormwater, process water, or any other discharge permits that may have been developed or obtained for different operations during the Respondent's occupation of the property.*

Response: KGC objects to the term "past site activities" on the grounds it is vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the term "past site activities."

After conducting an extensive review of KGC's historical documents, KGC did not locate any documents that include stormwater or drainage studies or copies of Stormwater Pollution Prevention, Maintenance Plans, Spill Plans, or any stormwater, process water, or any other discharge permits that may have been developed or obtained for different operations during KGC's ownership or operation of the Seattle Properties.

3. Information About Others

- a. *Describe any business relationship you may have had regarding the property or operations thereon with the following entities:*

Response: KGC objects to the term "business relationship" on the grounds it is vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the term "business relationship."

- i. *BPB Gypsum,*

Response: Notwithstanding the foregoing objection and after extensive review of historical documents, KGC did not locate any documents relating to and is not aware of any relationship between KGC and BPB Gypsum associated with KGC's ownership of or operations at its Seattle Properties.

- ii. *CertainTeed Gypsum Manufacturing, Inc.,*

Response: Notwithstanding the foregoing objection and after extensive review of historical documents, KGC did not locate any documents relating to and is not aware of any relationship between KGC and CertainTeed Gypsum Manufacturing, Inc. associated with KGC's ownership of or operations at its Seattle Properties.

- iii. *James Hardie Gypsum, and*

Response: Notwithstanding the foregoing objection and after extensive review of historical documents, KGC did not locate any documents relating to and is not aware of any relationship between KGC and James Hardie Gypsum associated with KGC's ownership of or operations at its Seattle Properties.

- iv. *Norwest Gypsum.*

Response: Notwithstanding the foregoing objections, as discussed above, Norwest Gypsum, Inc. purchased the gypsum wallboard plant from KGC in 1978. All documents located by KGC that are associated with the sale of the gypsum wallboard plant to Norwest Gypsum are described in and provided with KGC's response to Questions 1.d. and 2.a. above.

- b. *Provide the names and last known address of any tenants or lessees, the dates of their tenancy and a brief description of the activities they conducted while operating on the above mentioned Site.*

Response: After extensive review of historical documents, KGC located documents referring to its sublease in 1976 to Pro-Line Products Company of 40,000 square feet of property and 25,000 square feet of a warehouse KGC leased for its accessories plant. The documents relevant to this sublease were described in and are provided with KGC's response to Question 1.d. and 2.a. above.

- c. *If not already provided, identify and provide a last known address or phone number for all persons, including Respondent's current and former employees or agents, other than attorneys, who have knowledge or information about the generation, use, purchase, storage, disposal, placement, or other handling of hazardous materials at, or transportation of hazardous materials to or from, the Site.*

Response: KGC objects to the term "hazardous materials" on the grounds that it is vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the term "hazardous materials."

As described in its Revised Initial Statement above, KGC has no current employees. Many of the documents provided with its *Initial Response* and the Supplemental Response to the Request contain names of what appear to be KGC employees at that time, however, KGC has no knowledge as to the whereabouts of any of its former employees that might have information responsive to this Question, any of which would have last been employed by KGC over 30 years ago.

All documents responsive to this request are contained on Disk No. 2, Folder 3.c.

4. **Financial Information**

- a. *Provide true and complete copies of all federal income tax documents, including all supporting schedules, for 2004, 2005, 2006, 2007 and 2008. Provide the federal Tax Identification Number and, if documentation is not available, explain why in detail.*

Response: KGC provided the requested federal income tax documents with his Initial Response. The information and documents responsive to this request were designated Confidential Business Information pursuant to 42 U.S.C. §§ 9604(e)(7)(E) and 40 C.F.R. § 2.203(b) as provided by section reference on a separate disk marked "Confidential Business Information."

- b. *Provide the Respondent's financial interest in, control of, or that the Respondent is a beneficiary of any assets (in the U.S. or in another country) that have not been identified in your federal tax returns or other financial information to be presented to EPA. If there are such assets, please identify each asset by type of asset, estimated value, and location.*

Response: KGC objects to the terms "financial interest in" and "assets" on the grounds that they are vague, ambiguous and overly broad. Nevertheless, without waiving the foregoing objection, KGC responds herein based on its understanding of the terms "financial interest in" and "assets." As stated in its *Initial Response* and confirmed in this Supplemental Response, to the best of KGC's knowledge, all of KGC's tangible and measurable assets were noted in the federal income tax returns described in KGC's Initial Response to Question 4(a) above.

- c. *If Respondent is, or was at any time, a subsidiary of otherwise owned or controlled by, or otherwise affiliated with another corporation or entity, then describe the full nature of each such corporate relationship, including but not limited to:*
- i. *a general statement of the nature of the relationship, indicating whether or not the affiliated entity had, or exercised, any degree of control over the daily operations or decision-making of the Respondent's business operations at the Site;*

Response: KGC objects to this question as overly broad, unduly burdensome, ambiguous, and unintelligible to the extent it seeks information related to "affiliated entities," and relies on the terms "affiliated with" and "any degree of control," without providing any definition of said terms or limiting the scope of their application to a reasonable set of activities or conduct. KGC will respond herein by applying its understanding that the terms "affiliated entities" and "affiliated with" mean ownership of all outstanding shares of a business entity, and KGC will respond herein by applying its understanding of the term "degree of control."

Notwithstanding the foregoing objection and as stated in its *Initial Response* and confirmed in this Supplemental Response, based on a review of available information, during the relevant time periods (August 1, 1952 to the present), ownership of KGC was as follows:

From August 1, 1952 to May 4, 1982, one hundred percent (100%) of the stock of KGC was owned by Kaiser Cement Corporation, a California corporation. On May 4, 1982, Kaiser Cement Corporation (California) merged with and into Kaiser Cement Corporation, a Delaware corporation, with Kaiser Cement Corporation (Delaware) being the survivor of such merger and, therefore, with Kaiser Cement Corporation (Delaware) becoming the owner of one hundred percent (100%) of the stock of KGC as of May 4, 1982. From May 4, 1982 to February 3, 1989, Kaiser Cement Corporation (Delaware) remained the owner of such stock of KGC. On February 3, 1989, Kaiser Cement Corporation (Delaware) merged with and into Superlite Builders Supply, Inc., an Arizona corporation, with Superlite Builders Supply, Inc. being the survivor of such merger and, therefore, with Superlite Builders Supply, Inc. becoming the owner of one hundred percent (100%) of the stock of KGC as of February 3, 1989. Superlite Builders Supply, Inc. has remained the owner of such stock of KGC since February 3, 1989. However, Superlite Builders Supply, Inc. has twice changed its name since that time, first to Kaiser Cement Corporation and then to Hanson Permanente Cement, Inc., its current name. The current corporate address for Hanson Permanente Cement, Inc. is 300 E. John Carpenter Freeway, Suite 1800, Irving, Texas 75062.

By way of further response, and based on a review of the historical documents and other available information, KGC is not aware of any documents or information establishing that the relationship between KGC and the owner of the outstanding shares of KGC during the relevant time periods was anything other than the normal relationship between a shareholder and the corporation issuing the shares owned by said shareholder,

with said shareholder exercising those rights and powers granted under applicable corporate and business law.

ii. *the dates such relationship existed;*

Response: See response to Question 4(c)(i) above as if fully set forth herein.

iii. *the percentage of ownership of Respondent that is held by such other entity(ies);*

Response: See response to Question 4(c)(i) above as if fully set forth herein.

iv. *for each such affiliated entity provide the names and complete addresses of its parent, subsidiary, and otherwise affiliated entities, as well as the names and addresses of each such affiliated entity's officers, directors, partners, trustees, beneficiaries, and/or shareholders owning more than five percent of that affiliated entity's stock;*

Response: KGC objects to this question as overly broad, unduly burdensome, ambiguous, and unintelligible to the extent it seeks information related to "affiliated entities" without providing any definition of said term. KGC will respond herein by applying its understanding that the term "affiliated entity" means ownership of all shares of a business entity. KGC further objects to this question as overly broad and unduly burdensome to the extent it calls for the identification, names and addresses of every officer, director, partner, trustee, beneficiary and/or shareholder of multiple corporate entities over a sixty year time period, over half of which involved periods of time during which KGC did not own the Seattle Properties and did not conduct any business activities at the Seattle Properties.

Notwithstanding the foregoing objections, KGC will provide the following updated information regarding the current officers, directors, and shareholders of KGC and Hanson Permanente Cement, Inc. as of the date of this Supplemental Response:

Current Officers, Directors, and Shareholders of KGC:

Robert S. Markwell
President & Director
Kaiser Gypsum Company, Inc.
Manor Oak One, Suite 200
1910 Cochran Road
Pittsburgh, PA 15220

Charles E. McChesney II
Vice President, Secretary & Director
Kaiser Gypsum Company, Inc.
Manor Oak One, Suite 200
1910 Cochran Road
Pittsburgh, PA 15220

Kathryn M. Mehta
Vice President & Treasurer
Kaiser Gypsum Company, Inc.
Manor Oak One, Suite 200
1910 Cochran Road
Pittsburgh, PA 15220

Michael H. Hyer
Vice President
Kaiser Gypsum Company, Inc.
300 E. John Carpenter Freeway, Suite 1800
Irving, TX 75062

Robert D. VanBenschoten
Assistant Secretary
Kaiser Gypsum Company, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

Amy C. Yi
Assistant Secretary
Kaiser Gypsum Company, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

James L. Wallmann
Assistant Secretary
Kaiser Gypsum Company, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

Mary Beth McCarthy
Assistant Secretary
Kaiser Gypsum Company, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

Hanson Permanente Cement, Inc.
Owner of 100% of shares of KGC
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

Current Officers, Directors, and Shareholders of Hanson Permanente Cement, Inc.:

Robert S. Markwell
President & Director
Hanson Permanente Cement, Inc.
Manor Oak One, Suite 200
1910 Cochran Road
Pittsburgh, PA 15220

Michael H. Hyer
Vice President & Director
Hanson Permanente Cement, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

Mary Beth McCarthy
Assistant Secretary
Hanson Permanente Cement, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

Robert D. VanBenschoten
Assistant Secretary
Hanson Permanente Cement, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

Amy C. Yi
Assistant Secretary

Charles E. McChesney II
Vice President, Secretary & Director
Hanson Permanente Cement, Inc.
Manor Oak One, Suite 200
1910 Cochran Road
Pittsburgh, PA 15220

Kathryn M. Mehta
Treasurer
Hanson Permanente Cement, Inc.
Manor Oak One, Suite 200
1910 Cochran Road
Pittsburgh, PA 15220

John M. Hutchinson
Assistant Secretary
Hanson Permanente Cement, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

James L. Wallmann
Assistant Secretary
Hanson Permanente Cement, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

Mary D. Wright
Assistant Secretary

Hanson Permanente Cement, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

Hanson Permanente Cement, Inc.
Manor Oak One, Suite 200
1910 Cochran Road
Pittsburgh, PA 15220

KH 1, Inc.
Owner of 100% of shares of
Hanson Permanente Cement, Inc.
300 E. John Carpenter Freeway, Ste 1800
Irving, TX 75062

- y. *provide any and all insurance policies for such affiliated entity(ies) which may possibly cover the liabilities of the Respondent at the Site; and*

Response: KGC objects to this question as overly broad, unduly burdensome, ambiguous, and unintelligible to the extent it seeks information related to "affiliated entities" and it uses the phrase "might possibly cover" without providing any definition of said terms or phrases. KGC will respond herein by applying its understanding that the term "affiliated entity" means ownership of all shares of a business entity, and KGC will further respond herein by applying its understanding that the phrase "might possibly cover" means identifies Respondent as an insured or additional insured under said insurance policy. KGC further objects to this question as calling for KGC to make a legal conclusion as to whether an insurance policy "might possibly cover" a particular liability, as that is a question of contract interpretation and may be a matter of dispute between an insured and an insurer. In addition, KGC objects to this question as overly broad and unduly burdensome to the extent that the phrase "the liabilities of Respondent at the Site" is not reasonably limited to liabilities associated with USEPA's CERCLA authority, if any such liability exists. KGC will respond herein by so limiting the term "the liabilities of Respondent at the Site."

Notwithstanding the foregoing objections, KGC responds by identifying, as if fully restated herein, those insurance policies identified in KGC's Initial Response and Supplemental Response to Question 5(a) below, which insurance policies, for the most part, were issued to, and identified as named insured, the owner of all shares of KGC at the time of policy issuance, and which insurance policies identified KGC as an additional insured or additional named insured.

- vi. *provide any and all corporate financial information of such affiliated entities, including but not limited to total revenue or total sales, net income, depreciation, total assets and total current assets, total liabilities and total current liabilities, net working capital (or net current assets), and net worth.*

Response: KGC objects to this question as overly broad, unduly burdensome, ambiguous, and unintelligible to the extent it seeks information related to "affiliated entities" and seeks "corporate financial information" without providing any definition of said terms, and to the extent it is not reasonably limited in time. KGC has responded by

applying its understanding that the term "affiliated" means ownership of all shares of a business entity.

KGC provided the requested corporate financial information of KGC and Hanson Permanente Cement, Inc. with its Initial Response. The information and documents responsive to this request were designated Confidential Business Information pursuant to 42 U.S.C. §§ 9604(e)(7)(E) and 40 C.F.R. § 2.203(b) as provided by section reference on a separate disk marked "Confidential Business Information."

5. Insurance Coverage

- a. *Provide copies of all property, casualty and/or liability insurance policies, and any other insurance contracts referencing the site or facility and/or Respondent's business operations (including, but not limited to, Comprehensive General Liability, Environmental Impairment Liability, Pollution Legal Liability, Cleanup Cost Cap or Stop Loss Policies). Include, without limitation, all primary, excess, and umbrella policies which could be applicable to costs of environmental investigation and/or cleanup, and include the years such policies were in effect.*

Response: KGC objects to this question as overly broad, unduly burdensome, ambiguous, and unintelligible to the extent it uses the phrase "could be applicable to" without providing any definition of said phrase. KGC will respond herein by applying its understanding that the term "could be applicable to" means, under applicable law, that an insurance policy should provide a legal defense to and/or indemnification of a particular liability. KGC further objects to this question as calling for KGC to make a legal conclusion as to whether an insurance policy "could be applicable to" a particular liability, as that is a question of contract interpretation and may be a matter of dispute between an insured and an insurer.

Notwithstanding the foregoing objections, KGC is supplementing its production of insurance policies disclosed in its Initial Response and producing additional known records in its possession with its Supplemental Response which are responsive to this request. The information and documents responsive to this request are hereby designated Confidential Business Information pursuant to 42 U.S.C. §§ 9604(e)(7)(E) and 40 C.F.R. § 2.203(b) as provided by section reference on a separate disk marked "Confidential Business Information."

- b. *If there are any such policies from question "5a" above which existed, but for which copies are not available identify each such policy by providing as much of the following information as possible:*
- i. *the name and address of each insurer and of the insured;*
 - ii. *the type of policy and policy numbers;*
 - iii. *the per occurrence policy limits of each policy; and*
 - iv. *the effective dates for each policy.*

Response: KGC has revised its draft spreadsheet containing information responsive to this request and is producing the revised draft spreadsheet with its Supplemental Response. (See KG2006060-6069). The prior draft spreadsheet produced with the Initial Response should be removed and replaced with the revised draft spreadsheet. The information and documents responsive to this request are hereby designated Confidential Business Information pursuant to 42 U.S.C. §§ 9604(e)(7)(E) and 40 C.F.R. § 2.203(b) as provided by section reference on a separate disk marked "Confidential Business Information."

- c. *Identify all insurance brokers or agents who placed insurance for the Respondent at any time during the period being investigated, as identified at the beginning of this request, and identify the time period during which such broker or agent acted in this regard.*

Response: KGC has revised its draft spreadsheet containing information responsive to this request and is producing the revised draft spreadsheet with this Supplemental Response. (See KG2006060-6069). The prior draft spreadsheet produced with the Initial Response should be removed and replaced with the revised draft spreadsheet. The information and documents responsive to this request are hereby designated Confidential Business Information pursuant to 42 U.S.C. §§ 9604(e)(7)(E) and 40 C.F.R. § 2.203(b) as provided by section reference on a separate disk marked "Confidential Business Information."

- d. *Identify all communication and provide all documents that evidence, refer, or relate to claims made by or on behalf of the Respondent under any insurance policy in connection with the site. Include any responses from the insurer with respect to any claims.*

Response: KGC objects to this question as overly broad, unduly burdensome, and vague in that it requests documents that "evidence, refer, or relate to" claims made by or on behalf of the Respondent.

Notwithstanding the foregoing objections, KGC is providing copies of its initial notices letters to all known insurers regarding any possible claim against KGC associated with the LDW Superfund Site. In addition, KGC is providing copies of all substantive written responses from KGC's insurers to the initial notice letters and any subsequent substantive written communications from or to the insurers regarding any possible claim against KGC associated with the LDW Superfund Site.

The information and documents responsive to this request are hereby designated Confidential Business Information pursuant to 42 U.S.C. §§ 9604(e)(7)(E) and 40 C.F.R. § 2.203(b) as provided by section reference on a separate disk marked "Confidential Business Information."

- e. *Identify any previous settlements with any insurer in connection with the site, or for any claims for environmental liabilities during the time period under*

investigation. Include any policies surrendered or cancelled by the Respondent or insurer.

Response: To date, KGC has not entered into any settlements with any insurers regarding any claims related to the Lower Duwamish Waterway in Seattle, Washington.

f. Identify any and all insurance, accounts paid or accounting files that identify Respondent's insurance policies.

Response: After an extensive review of historical records, KGC located a limited number of internal lists and memoranda, letters, invoices, accounting records, and other documents that identify KGC's insurance policies. KGC is providing copies of these responsive historical records with this Supplemental Response. The information and documents responsive to this request are hereby designated **Confidential Business Information** pursuant to 42 U.S.C. §§ 9604(e)(7)(E) and 40 C.F.R. § 2.203(b) as provided by section reference on a separate disk marked "Confidential Business Information."

g. Identify Respondent's policy with respect to document retention.

Response: Most KGC records that existed at the 1978 to 1982 time frame when KGC sold all assets related to its active business operations were transferred to storage facilities located in California. Due to various pending litigations (including asbestos lawsuits) since that time, the retention obligations imposed by those pending litigations have resulted in KGC retaining at least one copy of all such records that were transferred to California for storage and that may be related to the subject matter of the pending litigations. To the extent there are KGC historical records in the California storage facilities that are not subject to retention for litigation purposes, those records are subject to the applicable corporate record retention policy. Until approximately October 2010, KGC records not otherwise subject to a litigation hold were subject to retention obligations contained in the Lehigh Hanson July 2008 Records Management and Retention Policy provided with KGC's Initial Response. After October 2010, KGC records not otherwise subject to a litigation hold have been subject to retention and disposition obligations contained in the Three Rivers Management, Inc. Records Management and Retention Policy, the most recent revision of which is produced with this Supplemental Response. (See KG2006104).

6. Compliance with This Request


- a. Describe all sources reviewed or consulted in responding to this request, including, but not limited to:*
- i. the name and current job title of all individuals consulted;*
 - ii. the location where all documents reviewed are currently kept.*

Response: Other than the corporate ownership and governance documents reviewed in preparing this Supplemental Response to the Request, the sole source of information used

to prepare the Supplemental Response to the Request are the historical documents provided with this Supplemental Response. Two disks containing the responsive documents are enclosed with this Supplemental Response. The name and current job title of those individuals other than outside counsel for KGC that were consulted in preparing this Supplemental Response is provided in KGC's response to Question 1.b., which is incorporated as if fully set forth herein.

I am an officer of Kaiser Gypsum Company, Inc. ("KGC") and hereby represent that KGC conducted a reasonable search for records and information in response to the United States Environmental Protection Agency's request for information and the foregoing response contains all non-privileged, relevant information discovered during KGC's search.

Executed on: Dec. 28, 2011



Signature

Charles E. McChesney II

Vice President & Secretary

APPENDIX A

Kaiser Gypsum Company, Inc. – Seattle Plant Summary of Product Bulletins Dated 1956 - 1977

File Name	Product Name	Bulletin Number	Date
KG2000566	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2000567	Gypsum Board 5/8" Regular [ASTM C36]	B-5	06/03/75
KG2000572	Gypsum Backerboard 1/2" Acoustibak 1/2" Long Lath [ASTM C442 or C3F]	B-8	01/15/69
KG2000574	Gypsum Wallboard 1/2" Moisture Guard [ASTM C-630]	B-40	07/01/70
KG2000577	Board Products General Specifications	B-G-4	02/15/73
KG2000585	5/16" Mobile Home Gypsum Board	B-1A	12/15/76
KG2000588	Gypsum Board 1/2" Regular [ASTM C 36]	B-3	12/01/77
KG2000590	Gypsum Board 5/8" Null-A-Fire (U.L.) Type X [ASTM C36]	B-6	04/01/77
KG2000592	Gypsum Sheathing 1/2" Impregnated Core [ASTM 079]	B-13	09/15/70
KG2000595	Gypsum Sheathing 5/8" Impregnated Core Type X [ASTM C79]	B-13A	09/15/70
KG2000598	Gypsum Wallboard 1/2" Moisture Guard [ASTM C-630]	B-40	07/01/70
KG2000601	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C-630]	B-41	07/01/70
KG2000604	5/8" Soffit Board Type X [ASTM C79]	B-44	02/15/73
KG2000607	Gypsum Rock For Portland Cement Plants	R-1B	05/01/76
KG2000608	Pebble Gypsum (Feed to Raymond Mills)	R-2	01/15/69
KG2000609	Raymond Mill Ground Raw Gypsum	R-3	01/15/69
KG2000612	Chemical/Food Grade Gypsum	R-4	01/15/69
KG2000614	Joint Compound (Polymeric Base)	J 6003	03/28/73
KG2000615	Dual Purpose Hardwall Plaster	P-1	08/04/60
KG2000620	Red-E-Mix Plaster	P-6	02/08/60
KG2000625	Gypsum Veneer Base Type X Super 1/2" X 48" Wide For Veneer Plaster [ASTM C588]	B-15D	08/01/68
KG2000626	Rapid Plaster	P-5A	03/29/66
KG2000628	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW 503 - 1 Hr	B-6B	01/24/72
KG2000629	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2000630	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2000632	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2000633	Cover-Tex Wall Texture	J-5303	12/17/74

File Name	Product Name	Bulletin Number	Date
KG2000634	Premix Topping Compound (Asbestos Free)	J-6803	12/13/74
KG2000635	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2000636	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2000638	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2000639	Cover-Tex Wall Texture	J-5303	12/17/74
KG2000640	Premix Topping Compound (asbestos free)	J6803	12/13/74
KG2000641	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	09/12/75
KG2000643	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2000645	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW 505 - 1 Hr [ASTM C36]	B-6B	01/24/72
KG2000647	Joint Compound Dual Purpose PMW-2	J-	09/24/70
KG2000648	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW 503-1 [ASTM C36]	B-6B	01/24/72
KG2000649	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	10/09/64
KG2000652	K-Spray Ceiling Texture KSS	J-5503	01/11/71
KG2000654	Premix Topping Compound (Non-Asbestos)	J-6803	11/24/75
KG2000655	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 - 1 Hr [ASTM C36]	B-6B	No Date
KG2000658	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 - 1 Hr [ASTM C36]	B-6B	03/09/72
KG2000661	Gypsum Sheathing ½" Impregnated Core [ASTM C79]	B-13	09/15/70
KG2000664	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW 503 - 1 Hr	B-6B	01/24/72
KG2000665	5/16" Mobile Home Gypsum Board	B-1A	02/03/76
KG2000668	Gypsumboard 5/16"	B-1A	12/19/74
KG2000671	Gypsum Backer Board 5/16"	B-1C	12/21/74
KG2000674	One Day Joint Compound	J-6303	06/07/74
KG2000677	One Day Joint Compound Special Fast Set	J-6313	06/07/74
KG2000679	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X Kaiser Wall - 1 Hour Cavity Panel [ASTM C36]	B-6	06/01/70
KG2000682	Gypsum Wallboard ½" Regular	B-3	12/16/74
KG2000683	Gypsum Board 5/8" Null-A-Fire (UL) Type X	B-6	12/16/74
KG2000685	Gypsum Wallboard ½" Regular [ASTM C 36]	B-3	12/16/74
KG2000686	5/16" Mobile Home Gypsum Board	B-1A	02/03/76
KG2000689	5/16" Mobile Home Gypsum Board	B-1A	02/26/76
KG2000692	5/16" Mobile Home Gypsum Board	B-1A	02/26/76
KG2000693	Pebble Gypsum (Feed to Raymond Mills)	R-2	01/15/69
KG2000694	Gypsum Rock For Portland Cement Plants	R-1B	12/31/67
KG2000695	Gypsum Wallboard ½" Regular [ASTM C 36]	B-3	05/01/73
KG2000696	Gypsum Wallboard ½" Regular [ASTM C 36]	B-3	05/01/73
KG2000697	Board Plant Stucco Kettle Calcined	S-1	01/15/69
KG2000699	Gypsum Wallboard ½" Regular [ASTM C 36]	B-3	12/16/74

File Name	Product Name	Bulletin Number	Date
KG2000700	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2000702	K-Spray Ceiling Texture (Mineral Aggregate) KSM	J-5403 & J-5407	05/10/74
KG2000705	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2000707	Finishing Compound Casein Base	6103	09/25/69
KG2000708	Finishing Compound Casein Base	J-6103	08/25/69
KG2000709	Radiant Heat Joint Compound	J-6003A	11/06/73
KG2000711	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2000715	One Day Joint Compound	J-6303	03/26/74
KG2000718	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2000720	One Day Joint Compound Special Fast Set	J-6313	06/07/74
KG2000722	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2000724	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	09/26/75
KG2000725	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	11/24/75
KG2000727	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	03/23/73
KG2000728	K-Spray - 32 lb. - Sept	Not Listed	September
KG2000730	K-Spray Ceiling Texture KSS	J-5503	09/05/73
KG2000732	K-Spray Ceiling Texture	J-5503	09/13/71
KG2000733	K-Spray Ceiling Texture KSS	Not Listed	08/15/73
KG2000734	Plaster For Zonolite Company	P-1B	No Date
KG2000735	Cover-Tex Wall Texture	J-5303	12/17/74
KG2000736	Premix Topping Compound (Asbestos Free)	J-6803	12/13/74
KG2000737	Gypsum Wallboard ½" Regular [ASTM C 36]	B-3	12/16/74
KG2000738	One Day Joint Compound	J-6303	06/07/74
KG2000741	One Day Joint Compound Special Fast Set	J-6313	06/07/74
KG2000743	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403, J-5407	05/10/74
KG2000746	Premix Topping Compound	J-6803	04/18/74
KG2000748	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2000750	K-Spray Ceiling Texture Test Batch	J-5506	02/12/74
KG2000751	Gypsum Wallboard ½" Moisture Guard Type X [ASTM C-630]	B-40A	07/01/70
KG2000754	Wall Texture Non-Asbestos	Illegible	03/24/75
KG2000755	Gypsum Wallboard ½" Regular [ASTM C 36]	B-3	05/01/73
KG2000756	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C 36]	B-6	02/15/73
KG2000758	Premium Taping Compound	Test Batch	07/17/72
KG2000759	Premix Taping Compound	J-6603	09/06/72
KG2000761	Premix Taping Compound	J-6603	11/06/73
KG2000763	Premix Joint Compound Dual Purpose (Non-Asbestos)	J-6903	11/24/75
KG2000765	Premix Joint Compound Dual Purpose	J-6903	04/23/74
KG2000766	Premix Joint Compound Dual Purpose	J-6903	04/23/74
KG2000768	Premix Joint Compound Dual Purpose Vinyl Base	J-6903	07/16/75

File Name	Product Name	Bulletin Number	Date
KG2000769	Premix Joint Compound Dual Purpose Vinyl Base	J-6903	05/11/73
KG2000770	Joint Compound (Polymeric Base)	J-6003	03/28/72
KG2000772	Finishing Compound (Polymeric Base) FC-4	J-6103	03/28/72
KG2000774	Finishing Compound (Polymeric Base)	Test Batch	02/24/72
KG2000775	Joint Compound Polymeric Base	Test Batch	12/17/71
KG2000776	Cover-Tex Wall Texture Non-Asbestos	J-5307	03/24/75
KG2000777	Cover-Tex Wall Texture Non-Asbestos	J-5307	03/24/75
KG2000778	K-Spray Ceiling Texture KSS	J-5503	10/16/69
KG2000779	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	07/08/75
KG2000781	Cover-Tex Wall Texture (Non-Asbestos)	J-5307	07/08/75
KG2000783	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403, J-5407	05/10/74
KG2000785	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2000786	K-Spray Ceiling Texture (Non-Asbestos)	J-5303	11/24/75
KG2000787	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2000788	Premix Topping Compound (Non-Asbestos)	J-6803	11/24/75
KG2000789	Premix Joint Compound Dual Purpose (Non-Asbestos)	J-6903	11/24/75
KG2000790	Filler Compound	J-5103	11/06/73
KG2000792	Filler Compound	J-5703	02/18/71
KG2000793	Cover-Tex Wall Texture Non-Asbestos	J-5303	09/26/75
KG2000794	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2000795	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2000796	Cover-Tex Wall Texture	J-5303	06/03/74
KG2000798	Cover-Tex Wall Texture	J-5303	06/03/74
KG2000799	Cover-Tex Wall Texture	J-5303	06/03/74
KG2000801	Cover-Tex Wall Texture	J-5303	03/23/73
KG2000802	Cover-Tex Texture Paint TS	J-5203	10/21/69
KG2000804	K-Spray Ceiling Texture	5523	No Date
KG2000805	Cover-Tex Wall Texture	J-5303	02/03/72
KG2000807	One Day Joint Compound (Non-Asbestos)	J-6303	04/24/75
KG2000808	Premix Joint Compound Dual Purpose (Non-Asbestos)	J-6903	09/26/75
KG2000809	Premix Joint Compound Dual-Purpose (Non-Asbestos)	J-6903	07/08/75
KG2000811	_____ Compound - Raw Gypsum/Asbestos Free	Not Legible	04/18/74
KG2000812	Premix Topping Compound	J-6803	05/28/71
KG2000814	Premix Topping Compound (Asbestos Free)	J-6803	03/10/75
KG2000815	Premix Topping Compound (asbestos free)	J-6803	12/13/74
KG2000816	Premix Topping Compound	J-6803	04/08/74
KG2000817	Premix Topping Compound (Non-Asbestos)	J-6803	11/24/75
KG2000818	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2000819	Premix Topping Compound (Non-Asbestos)	J-6803	09/26/75

File Name	Product Name	Bulletin Number	Date
KG2000820	Premix Topping Compound (Non-Asbestos)	J-6803	11/24/75
KG2000821	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2000823	Scrimless Radiant Heat Surfacing Compound	J-5703	05/31/72
KG2000824	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2000826	K-Spray Ceiling Texture Test Batch	J-5506	02/12/74
KG2000827	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X & 1 Hour Cavity Panel For (KW 502 & KW702) [ASTM C 36]	B-6	06/01/70
KG2000828	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 - 1 Hour [ASTM C 36]	B-6B	04/01/71
KG2000831	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X KW-502 - 1 Hour Cavity Panel [ASTM C 36]	B-6	06/01/70
KG2000834	Gypsum Board 1/2" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	04/01/74
KG2000835	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X KW-502 - 1 Hour Cavity Panel [ASTM C36]	B-6	06/01/70
KG2000838	Gypsum Wallboard 1/2" Moisture Guard [ASTM C-630]	B-40	03/__/70
KG2000841	Gypsum Wallboard 1/2" Moisture Guard Type X [ASTM C-630]	B-40A	03/__/70
KG2000844	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C-630]	B-41	03/__/70
KG2000847	Board Plant Stucco Kettle Calcined	S-1	10/07/65
KG2000848	Aridized Plaster Base Stucco	S-5	10/08/65
KG2000849	Aridized Plaster Base Stucco	S-5A	10/08/65
KG2000850	Gypsum Wallboard 1/4" Regular	B-1	10/08/64
KG2000851	Gypsum Wallboard 3/8" - Regular	B-2	12/30/65
KG2000852	Gypsum Wallboard 3/8" Null-A-Fire Type X	B-2A	10/08/64
KG2000853	Gypsum Wallboard 1/2" - Regular	B-3	10/08/64
KG2000855	Gypsum Wallboard 1/2" Null-A-Fire (UL) Type X	B-4	10/08/64
KG2000856	Gypsum Wallboard 1/2" Type X Super Null-A-Fire (U.L.)	B-4A	12/30/65
KG2000857	Gypsum Wallboard 5/8" - Regular	B-5	10/08/64
KG2000859	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	10/09/64
KG2000860	Gypsum Backerboard 3/8" - Regular	B-7	12/30/65
KG2000862	Gypsum Backerboard 1/2" Acoustibak 1/2" Long Lath	B-8	10/09/64
KG2000863	Gypsum Backerboard 1/2" Acoustibak Type X	B-8A	10/09/64
KG2000864	Gypsum Backerboard 5/8" - Acoustibak (UL)	B-9	10/09/64
KG2000865	Gypsum Backerboard 1" Core Board	B-10	10/09/64
KG2000869	Gypsum Formboard 1/2" Regular	B-11	10/09/64
KG2000870	Gypsum Sheathing 1/2" Plain Core	B-12	10/09/64
KG2000871	Gypsum Sheathing 1/2" Impregnated Core	B-13	05/27/65
KG2000873	Gypsum Sheathing 5/8" Impregnated Core Type X	B-13A	05/27/65
KG2000875	Gypsum Lath 3/8" Plain and Perforated	B-14	10/09/64

File Name	Product Name	Bulletin Number	Date
KG2000876	Gypsum Lath 3/8" Duralath	B-14A	10/09/64
KG2000877	Gypsum Veneer Base 3/8" x 48" Wide	B-14B	11/16/66
KG2000879	Gypsum Lath 1/2" Plain and Perforated	B-15	10/06/64
KG2000880	Gypsum Veneer Base 1/2" x 48" Wide For Veneer Plaster	B-15B	04/21/66
KG2000883	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster	B-15C	04/21/66
KG2000886	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster	B-15D	03/29/66
KG2000887	Gypsum Lath 1" Long Length Type X	B-18	10/06/64
KG2000888	Gypsum Wallboard 3/4" Type X	B-19	05/27/65
KG2000889	Gypsum Dunnage 1/4" Thick	B-50	10/12/65
KG2000890	Gypsum Dunnage 3/8" Thick	B-51	10/12/65
KG2000891	Gypsum Dunnage 1/2" Thick	B-52	10/12/65
KG2000892	Gypsum Dunnage 5/8" Thick	B-53	10/12/65
KG2000893	Gypsum Dunnage 3/4" Thick	B-54	10/12/65
KG2000894	Gypsum Backerboard 3/8" - Regular	B-7	12/30/65
KG2000896	Gypsum Backerboard 1/2" Acoustibak 1/2" Long Lath	B-8	10/09/64
KG2000897	Gypsum Backerboard 5/8"- Acoustibak (UL)	B-9	10/09/64
KG2000898	Gypsum Veneer Base 3/8" x 48" Wide	B-14B	11/16/66
KG2000900	Gypsum Veneer Base 1/2" x 48" Wide For Veneer Plaster	B-15B	04/21/66
KG2000902	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster	B-15C	04/21/66
KG2000905	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster	B-15D	03/29/66
KG2000906	K-Spray Ceiling Texture (Mineral Aggregate) KSV & K-Spray Ceiling Texture (Mineral Aggregate)	J-5403, J-5407	05/10/74
KG2000908	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2000910	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2000912	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2000914	3-Purpose Compound (Polymeric Base)	J-6403	03/26/73
KG2000916	Gypsum Board 3/8" Null-A-Fire Type X [ASTM C36]	B-2A	06/01/73
KG2000918	Gypsum Board 1/2" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	04/01/77
KG2000920	Gypsum Wallboard 1/2" Type X Super Null-A-Fire (UL)	B-4A	12/30/65
KG2000922	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	04/01/77
KG2000924	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2000927	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster	B-15D	06/03/75

File Name	Product Name	Bulletin Number	Date
KG2000931	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C-630]	B-41	03/15/74
KG2000934	5/8" Soffit Board Type X [ASTM C79]	B-44	07/13/73
KG2000936	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2000937	Gypsum Wallboard ½" Null-A-Fire (UL) Type X	B-4	10/08/64
KG2000939	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	04/29/63
KG2000940	Premix Joint Compound Dual Purpose Vinyl Base	J-6903	08/25/69
KG2000941	Premix Joint Compound Dual Purpose Vinyl Base	J-6903	01/05/70
KG2000942	Premix Joint Compound Dual Purpose PMW-2	J-6913	05/20/70
KG2000943	Premix Joint Compound Dual Purpose PMW-2	J-6913	09/24/70
KG2000944	Premix Joint Compound Dual Purpose	J-6903	05/11/73
KG2000945	Premix Joint Compound Dual Purpose	J-6903	04/23/74
KG2000946	Premix Compound Topping	J-6803	05/28/71
KG2000947	Premix Compound Topping	J-6803	04/08/74
KG2000948	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	10/09/64
KG2000951	K-Spray Ceiling Texture KSS	J-5503	10/16/69
KG2000953	Gypsum Wallboard ½" Type X Super Null-A-Fire (UL)	B-4A	12/30/65
KG2000955	Gypsum Board ½" Regular [ASTM C36]	B-1	06/01/73
KG2000957	5/16" Mobile Home Gypsum Board	B-1A	12/15/76
KG2000960	Gypsum Board 3/8" Regular [ASTM C36]	B-2	06/01/73
KG2000962	Gypsum Board 3/8" Null-A-Fire Type X [ASTM C36]	B-2A	06/01/73
KG2000964	Textured Gypsum Board	B-2B F-1D	04/20/70
KG2000965	Gypsum Board ½" Regular [ASTM C-36]	B-3	12/01/77
KG2000967	Gypsum Wallboard ½" Null-A-Fire (UL) Type X	B-4	10/08/64
KG2000968	Gypsum Board ½" Type X Super Null-A-Fire (UL) [ASTM C-36]	B-4	04/01/77
KG2000970	Gypsum Board 5/8" Regular [ASTM C-36]	B-5	06/01/79
KG2000972	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	04/29/63
KG2000973	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	04/01/77
KG2000975	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2000978	Gypsum Backerboard 3/8" Regular [ASTM C442]	B-7	01/15/69
KG2000981	Gypsum Backer Board ½" Acoustibak ½" Long Lath [ASTM C442 or C37]	B-8	01/15/69
KG2000983	Gypsum Backerboard ½" Acoustibak Type X [ASTM C442]	B-8-A	01/15/69
KG2000985	Fire-Fighter Gypsumboard Type X [ASTM C707]	B-8B	09/29/72
KG2000987	Gypsum Backerboard 5/8" Acoustibak (UL) 5/8" Lath, Type X [ASTM C442]	B-9	09/22/70
KG2000990	Gypsum Backerboard 1" Coreboard [ASTM C442]	B-10	05/24/70

File Name	Product Name	Bulletin Number	Date
KG2000995	Gypsum Formboard ½" Regular [ASTM C318]	B-11	01/15/69
KG2000997	Gypsum Sheathing ½" Plain Core [ASTM C79]	B-12	01/15/69
KG2000999	Gypsum Sheathing ½" Impregnated Core [ASTM C79]	B-13	09/15/70
KG2001002	Gypsum Veneer Base Type X Super ½" x 48" For Veneer Plaster [ASTM C588]	B-15D	06/03/75
KG2001006	Gypsum Wallboard ¾" - Type X	B-19	12/31/67
KG2001008	Kaiserwalls	B-20	10/06/64
KG2001009	Gypsum Wallboard ½" Moisture Guard [ASTM C-630]	B-40	07/01/70
KG2001012	Gypsum Wallboard ½" Moisture Guard Type X [ASTM C-630]	B-40A	03/15/74
KG2001015	Gypsum Wallboard 5/8" Moisture Guard (Type X) [ASTM C-630]	B-41	03/15/74
KG2001018	½" Soffit Board [ASTM C79]	B-43	07/13/73
KG2001021	5/8" Soffit Board Type X [ASTM C79]	B-44	07/13/73
KG2001024	5/8" Soffit Board Type X [ASTM C630]	B-44	11/17/72
KG2001027	Gypsum Dunnage ¼" Thick	B-50	12/31/67
KG2001028	Gypsum Dunnage 3/8" Thick	B-51	12/31/67
KG2001029	Gypsum Dunnage ½" Thick	B-52	12/31/67
KG2001030	Gypsum Dunnage 5/8" Thick	B-53	12/31/67
KG2001031	Gypsum Dunnage ¾" Thick	B-54	12/31/67
KG2001032	Purchased Genstar Cement Type I [ASTM C150]	I-2	06/01/86
	Purchased Genstar Cement Type II-LA [ASTM C150]	II-LA-1	06/01/86
	Purchased Cement (Genstar) Type III [ASTM C150]	III-1	06/01/86
	Purchased SSANGYONG Cement Type II [ASTM C150]	SII-1	06/01/86
	Purchased Cement UBE Type I [ASTM C150]	UI-1	06/01/86
	Purchased Cement UBE Type III [ASTM C150]	UIII-1	06/01/86
KG2001038	Gypsum Veneer Base Type X Super ½" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	06/03/75
KG2001042	K-Spray Ceiling Texture (Mineral Aggregate)	J-5403 & J-5407	05/10/74
KG2001043	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001044	Gypsum Rock For Portland Cement Plants	R-IB	05/01/76
KG2001046	Gypsum Rock For Portland Cement Plants	R-IB	12/31/67
KG2001048	Pebble Gypsum (Feed to Raymond Mills)	R-2	01/15/69
KG2001049	Raymond Mill Ground Raw Gypsum	R-3	01/15/69
KG2001052	Aridized Plaster Base Stucco	S-5	10/08/65
KG2001053	Aridized Plaster Base Stucco	S-5A	10/08/65
KG2001054	Board Products General Specifications	B-G-4	02/15/73
KG2001062	Board Products Aluminum Foil Backed	B-G-10	02/05/73

File Name	Product Name	Bulletin Number	Date
	Gypsumboard or Lath		
KG2001065	Gypsum Board 1/4" Regular [ASTM C36]	B-1	06/01/73
	5/16" Mobile Home Gypsum Board [ASTM C36]	B-1A	12/15/76
KG2001070	Gypsum Board 3/8" Regular [ASTM C36]	B-2	06/01/73
KG2001072	Textured Gypsum Board	B-2B & F-1D	04/20/70
KG2001073	Gypsum Board 1/2" Regular [ASTM C-36]	B-3	12/01/77
KG2001074	Gypsum Board 1/2" Regular [ASTM C-36]	B-3	12/01/77
KG2001075	Gypsum Board 5/8" Regular [ASTM C-36]	B-5	06/03/75
KG2001077	Gypsum Backerboard 3/8" - Regular [ASTM C442]	B-7	01/15/69
KG2001080	Gypsum Backerboard 1/2" Acoustibak 1/2" Long Lath [ASTM C442 or C37]	B-8	01/15/69
KG2001082	Gypsum Backerboard 1/2" Acoustibak Type X [ASTM C442]	B-8A	01/15/69
KG2001084	Fire-Fighter Gypsumboard Type X [ASTM C707]	B-8B	09/29/72
KG2001086	Gypsum Backerboard 5/8" Acoustibak (UL) 5/8" Lafik, Type X [ASTM C442]	B-9	09/22/70
KG2001089	Gypsum Formboard 1/2" Regular [ASTM C318]	B-11	01/15/69
KG2001091	Gypsum Sheathing 1/2" Plain Core [ASTM C79]	B-12	01/15/69
KG2001093	Gypsum Sheathing 1/2" Impregnated Core [ASTM C79]	B-13	09/15/70
KG2001096	Gypsum Wallboard 3/4" - Type X	B-19	12/31/67
KG2001098	Kaiserwalls	B-20	10/06/64
KG2001099	Gypsum Wallboard 1/2" Moisture Guard [ASTM C-630]	B-40	03/15/74
KG2001102	Gypsum Wallboard 1/2" Moisture Guard Type X [ASTM C-630]	B-40A	03/15/74
KG2001105	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C-630]	B-41	03/15/74
KG2001108	1/2" Soffit Board [ASTM C79]	B-43	07/13/73
KG2001111	5/8" Soffit Board Type X [ASTM C79]	B-44	07/13/73
KG2001114	5/8" Soffit Board Type X [ASTM C-630]	B-44	11/17/72
KG2001117	Gypsum Dunnage 1/4" Thick	B-50	12/31/67
KG2001118	Gypsum Dunnage 3/8" Thick	B-51	12/31/67
KG2001119	Gypsum Dunnage 1/2" Thick	B-52	12/31/67
KG2001120	Gypsum Dunnage 5/8" Thick	B-53	12/31/67
KG2001121	Gypsum Dunnage 3/4" Thick	B-54	12/31/67
KG2001122	K-Spray Ceiling Texture (Mineral Aggregate)	J-5403 & J-5407	05/10/74
KG2001123	Filler Compound	J-5103	11/06/73
KG2001124	Gypsum Board 1/2" Regular [ASTM C-36]	B-3	09/12/75
KG2001126	Cover-Tex Wall Texture	J-5303	06/03/74
KG2001127	K-Spray Ceiling Texture KSS	J-5503	04/26/74
KG2001128	Premix Joint Compound Dual Purpose	J-6903	04/23/74

File Name	Product Name	Bulletin Number	Date
KG2001129	K-Spray Ceiling Texture KSS	J-4	10/21/69
KG2001133	Textured Gypsum Board	B-2B & F-1D	04/20/70
KG2001134	5/16" Mobile Home Gypsum Board	B-1A	12/15/76
KG2001137	K-Spray Ceiling Texture KSS	J-4	10/21/69
KG2001141	Cover-Tex Wall Texture - Non Asbestos	J-5305	03/10/75
KG2001142	PreMix Topping Compound (Asbestos Free)	J-6803	12/13/74
KG2001143	Cover-Tex Wall Texture	J-5303	12/17/74
KG2001144	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001146	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001148	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001150	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2001151	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	11/24/75
KG2001153	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001155	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	11/24/75
KG2001156	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2001157	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	09/26/75
KG2001158	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	11/24/75
KG2001160	K-Spray Ceiling Texture	J-5503	03/23/73
KG2001161	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2001162	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	11/24/75
KG2001164	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	11/24/75
KG2001165	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2001167	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001169	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2001170	Premix Joint Compound Dual-Purpose (Non-Asbestos)	J-6903	04/08/75
KG2001171	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001173	Premix Joint Compound Dual-Purpose (Non-Asbestos)	J-6903	04/08/75
KG2001174	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2001175	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2001176	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	11/24/75
KG2001178	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001180	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2001181	Premix Joint Compound Dual-Purpose (Non-Asbestos)	J-6903	04/08/75
KG2001182	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001184	Premix Topping Compound (Asbestos Free)	J-6803	12/13/74
KG2001185	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001187	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001189	Premix Topping Compound	J-6803	04/18/74
KG2001190	Premix Joint Compound Dual Purpose (Non-Asbestos)	J-6903	11/24/75

File Name	Product Name	Bulletin Number	Date
KG2001191	Premix Joint Compound Dual Purpose (Non-Asbestos)	J-6903	11/24/75
KG2001192	Premix Joint Compound Dual Purpose (Non-Asbestos)	J-6903	07/08/85
KG2001194	Premix Topping Compound (Asbestos Free)	J-6803	03/10/75
KG2001195	Premix Topping Compound	None Listed	01/14/75
KG2001196	Premix Topping Compound (Asbestos Free)	J-6803	12/13/74
KG2001197	Premix Topping Compound (Non-Asbestos)	J-6803	11/24/75
KG2001198	Premix Topping Compound (Non-Asbestos)	J-6803	09/26/75
KG2001199	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2001200	Premix Topping Compound (Non-Asbestos)	J-6803	11/24/75
KG2001201	Cover-Tex Wall Texture Non-Asbestos	J-5307	03/24/75
KG2001202	Premix Joint Compound Dual Purpose (Non-Asbestos)	J-6903	09/26/75
KG2001203	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2001204	K-Spray Ceiling Texture (Non-Asbestos)	J-5503	11/24/75
KG2001205	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75
KG2001206	Premix Topping Compound (Non-Asbestos)	J-6803	11/24/75
KG2001207	Dual Purpose (Non-Asbestos)	J-6903	11/24/75
KG2001208	Cover-Tex Wall Texture Non-Asbestos	J-5303	09/26/75
KG2001209	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2001210	Cover-Tex Wall Texture Non-Asbestos	J-5303	11/24/75
KG2001211	One Day Joint Compound (Non-Asbestos)	J-6303	04/24/75
KG2001212	Cover-Tex Wall Texture	J-5303	12/17/74
KG2001213	Premix Topping Compound (Asbestos Free)	J-6803	12/13/74
KG2001214	Cover-Tex Wall Texture (Non-Asbestos)	J-5307	07/08/75
KG2001216	Cover-Tex Wall Texture Non-Asbestos	J-5307	03/24/75
KG2001217	Cover-Tex Wall Texture Non-Asbestos	J-5307	03/24/75
KG2001218	Premix Topping Compound	J-6803	04/18/74
KG2001219	Gypsum Board 5/8" Null-A-Fire (U.L.) Type X [ASTM C36]	B-6	09/12/75
KG2001221	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2001224	Gypsum Board 5/8" Null-A-Fire (U.L.) Type X [ASTM C36]	B-6	04/01/77
KG2001226	Gypsum Wallboard 1/2" Type X Super Null-A-Fire (U.L.)	B-4A	12/30/65
KG2001228	Gypsum Board 3/8" Null-A-Fire Type X [ASTM C36]	B-2A	06/01/73
KG2001230	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C-630]	B-41	03/15/74
KG2001233	5/8" Soffit Board Type X [ASTM C79]	B-44	07/13/73
KG2001236	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 &	05/10/74

File Name	Product Name	Bulletin Number	Date
		J-5407	
KG2001239	K-Spray Ceiling Texture Test Batch	J-5506	02/12/74
KG2001241	Gypsum Wallboard ½" Moisture Guard Type X [ASTM c-630]	B-40A	07/01/70
KG2001244	K-Spray Ceiling Texture KSS	J-5503	08/23/73
KG2001246	K-Spray Ceiling Texture	J-5503	09/13/71
KG2001247	K-Spray Ceiling Texture	J-5503	06/04/73
KG2001248	K-Spray Ceiling Texture KSS	J-5503	06/04/73
KG2001249	K-Spray Ceiling Texture KSS	Not Listed	08/15/73
KG2001251	K-Spray Ceiling Texture	J-5503	09/01/72
KG2001252	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001255	5/8" Soffit Board Type X [ASTM C-630]	B-44	11/17/72
KG2001258	5/8" Soffit Board Type X [ASTM C79]	B-44	07/13/73
KG2001261	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C630]	B-41	03/15/74
KG2001264	Gypsum Wallboard ½" Moisture Guard Type X [ASTM C-630]	B-40A	03/15/74
KG2001267	Gypsum Veneer Base Type X Super ½" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	06/03/75
KG2001271	Gypsum Backerboard ½" Acoustibak Type X [ASTM C442]	B-8-A	01/15/69
KG2001273	Fire-Fighter Gypsumboard Type X [ASTM C 707] Technical Bulletin 5621-A	B8B	09/29/72
KG2001275	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2001278	Gypsum Board 5/8" Null-A-Fire (U.L.) Type X [ASTM C36]	B-6	04/01/77
KG2001280	Gypsum Board ½" Type X Super Null-A-Fire (UL) [ASTM C-36]	B-4	04/01/77
KG2001282	Gypsum Board 3/8" Null-A-Fire Type X [ASTM C36]	B-2A	06/01/73
KG2001284	K-Spray Ceiling Texture KSS	J-5503	04/26/74
KG2001285	Cover-Tex Wall Texture	J-5303	12/17/74
KG2001286	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-	05/10/74
KG2001288	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2001291	Gypsum Board 3/8" Null-A-Fire Type X [ASTM C36]	B-2A	06/01/73
KG2001293	Gypsum Veneer Base Type X Super ½" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	06/03/75
KG2001294	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2001295	One Day Joint Compound (Non-Asbestos)	J-6303	10/09/75

File Name	Product Name	Bulletin Number	Date
KG2001298	Premix Joint Compound Dual Purpose	J-6903	04/23/74
KG2001299	Premix Joint Compound Dual Purpose	J-6903	05/11/73
KG2001300	Premix Joint Compound Dual Purpose PMW-2	J-6913	09/24/70
KG2001301	Premix Joint Compound Dual Purpose PMW-2	J-6913	05/20/70
KG2001302	Gypsum Board ½" Type X Super Null-A-Fire (UL) [ASTM C-36]	B-4	04/01/77
KG2001304	Filler Compound	J-5103	11/06/73
KG2001305	Cover-Tex Wall Texture	J-5303	06/03/74
KG2001306	Premix Taping Compound	J-6603	09/06/72
KG2001308	Gypsum Board ½" Type X Super Null-A-Fire (UL) [ASTM C-36]	B-4	04/01/77
KG2001310	Gypsum Wallboard ½" Null-A-Fire (UL) Type X	B-4	10/08/64
KG2001311	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	04/29/63
KG2001312	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2001313	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001315	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2001317	Radiant Heat Joint Compound	J-6003A	11/06/73
KG2001318	Radiant Heat Joint Compound	J-6003A	02/09/71
KG2001319	Cover-Tex Wall Texture	J-5303	06/03/74
KG2001321	Filler Compound	J-5103	11/06/73
KG2001325	Premix Joint Compound Dual Purpose	J-6903	04/23/74
KG2001326	Premix Joint Compound Dual Purpose	J-6903	05/11/73
KG2001327	Premix Joint Compound Dual Purpose PMW-2	J-6913	09/24/70
KG2001328	Premix Joint Compound Dual Purpose PMW-2	J-6913	05/20/70
KG2001329	Gypsum Board ½" Type X Super Null-A-Fire (UL) [ASTM C-36]	B-4	04/01/77
KG2001331	Filler Compound	J-5103	11/06/73
KG2001332	Cover-Tex Wall Texture	J-5303	06/03/74
KG2001333	Premix Taping Compound	J-6603	09/06/72
KG2001335	Gypsum Board ½" Type X Super Null-A-Fire [ASTM C-36]	B-4	04/01/77
KG2001337	Gypsum Wallboard ½" Null-A-Fire (UL) Type X	B-4	10/08/64
KG2001338	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	04/29/63
KG2001339	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2001340	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001342	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2001344	Radiant Heat Joint Compound	J-6003A	11/06/73
KG2001345	Radiant Heat Joint Compound	J-6003A	02/09/71
KG2001346	Cover-Tex Wall Texture	J-5303	06/03/74
KG2001348	Filler Compound	J-5103	11/06/73
KG2001350	Gypsum Lath ½" Type X Super Duralath	B-15A	10/18/67
KG2001353	Gypsum Lath ½" Type X Super Duralath [ASTM C37]	B-15A	01/15/69
KG2001357	Gypsum Lath ½" Type X Super Duralath [ASTM	B-15A	01/15/69

File Name	Product Name	Bulletin Number	Date
	C37]		
KG2001359	Gypsum Lath ½" Type X Super Duralath [ASTM C37]	B-15A	01/15/69
KG2001360	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster [ASTM C588]	B-15C	01/15/69
KG2001363	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster [ASTM C588]	B-15C	01/15/69
KG2001365	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster [ASTM C588]	B-15C	01/15/69
KG2001366	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	01/15/69
KG2001367	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2001368	Joint Cement	J-1A	05/07/56
KG2001369	K-Spray Ceiling Texture KSS	J-5503	06/04/73
KG2001371	Gypsum Wallboard 3/8" Null-A-Fire Type X	B-2A	10/08/64
KG2001372	Gypsum Wallboard 3/8" Null-A-Fire Type X [ASTM C36]	B-2A	01/15/69
KG2001374	Gypsum Board 3/8" Null-A-Fire Type X [ASTM C36]	B-2A	06/01/73
KG2001376	Gypsum Wallboard ½" Null-A-Fire (UL) Type X	B-4	10/08/64
KG2001377	Gypsum Wallboard ½" Null-A-Fire (UL) Type X	B-4	10/08/64
KG2001378	Gypsum Wallboard ½" Type X Super Null-A-Fire (UL)	B-4A	12/30/65
KG2001379	Gypsum Wallboard ½" Type X Super Null-A-Fire (UL)	B-4A	12/30/65
KG2001380	Gypsum Wallboard ½" Type X Super Null-A-Fire (UL)	B-4A	12/30/65
KG2001381	Gypsum Wallboard ½" Type X Super Null-A-Fire (UL)	B-4A	12/30/65
KG2001382	Gypsum Wallboard ½" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	01/15/69
KG2001384	Gypsum Wallboard ½" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	01/15/69
KG2001386	Gypsum Board ½" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	06/01/73
KG2001388	Gypsum Board ½" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	04/01/74
KG2001389	Gypsum Board ½" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	04/01/77
KG2001391	Gypsum Board ½" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	04/01/77
KG2001392	Gypsum Wallboard 5/8" Null-A-Fire (UL)	B-6	10/20/60
KG2001394	Gypsum Wallboard 5/8" Null-A-Fire (UL)	B-6	02/01/61

File Name	Product Name	Bulletin Number	Date
KG2001395	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	04/29/63
KG2001396	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	04/29/63
KG2001397	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	10/09/64
KG2001398	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	10/09/64
KG2001401	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	10/09/64
KG2001402	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	01/15/69
KG2001403	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	01/15/69
KG2001404	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X KW-502 - 1 Hour Cavity Panel [ASTM C36]	B-6	06/01/70
KG2001405	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X KW-502 - 1 Hour Cavity Panel [ASTM C36]	B-6	06/01/70
KG2001408	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	02/15/73
KG2001409	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	03/15/74
KG2001412	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	03/01/74
KG2001413	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	04/01/74
KG2001416	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	06/03/75
KG2001417	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	09/12/75
KG2001419	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	04/01/77
KG2001420	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	04/01/71
KG2001421	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	04/01/71
KG2001422	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2001423	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2001424	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	No Date
KG2001425	Gypsum Backerboard ½" Acoustibak ½" Long Lath	B-8	10/09/64
KG2001426	Gypsum Backerboard ½" Acoustibak Type X	B-8A	10/09/64
KG2001427	Gypsum Backerboard ½" Acoustibak Type X [ASTM C442]	B-8A	01/15/69
KG2001428	Gypsum Roof Board Type X [ASTM C36]	B-8B	07/28/69
KG2001430	Fire-Block Gypsum Board Type X [ASTM C36]	B-8B	10/16/70
KG2001432	Fire-Fighter Gypsumboard Type X [ASTM C707]	B-8B	09/29/72

File Name	Product Name	Bulletin Number	Date
KG2001434	Gypsum Backerboard 5/8"- Acoustibak (UL)	B-9	10/09/64
KG2001435	Gypsum Lath 1/2" Type Duralath	B-15A	05/22/67
KG2001436	Gypsum Lath 1/2" Type Super Duralath	B-15A	10/18/67
KG2001439	Gypsum Lath 1/2" Type Super Duralath [ASTM C37]	B-15A	01/15/69
KG2001442	Gypsum Lath 1/2" Type X Super Duralath [ASTM C37]	B-15A	01/15/69
KG2001446	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster	B-15C	04/21/66
KG2001447	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster	B-15C	04/21/66
KG2001448	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster [ASTM C588]	B-15C	01/15/69
KG2001449	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster [ASTM C588]	B-15C	01/15/69
KG2001452	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster [ASTM C588]	B-15C	07/03/69
KG2001454	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster	B-15C	06/03/75
KG2001455	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster	B-15D	03/23/66
KG2001458	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	03/29/66
KG2001459	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster	B-15D	03/29/66
KG2001460	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster	B-15D	03/29/66
KG2001461	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	01/15/69
KG2001462	Gypsum Veneer Base 1/2" x 48" Wide Type X For Veneer Plaster	B-15D	06/03/75
KG2001463	Gypsum Wallboard 1/2" Moisture Guard Type X [ASTM C-630]	B-40A	07/01/70
KG2001465	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C630]	B-41	03/00/70
KG2001466	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C630]	B-41	07/01/70
KG2001467	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C630]	B-41	07/01/70
KG2001468	5/8" Soffit Board Type X [ASTM C630]	B-44	11/17/72
KG2001471	5/8" Soffit Board Type X [ASTM C79]	B-44	02/15/73
KG2001474	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001475	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 &	05/10/74

File Name	Product Name	Bulletin Number	Date
		J-5407	
KG2001477	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403	10/20/69
KG2001478	Wood Fibered Plaster	P-5	11/05/62
KG2001479	Wood Fibered Plaster	P-5	11/26/63
KG2001480	Wood Fibered Plaster	P-5	10/08/64
KG2001482	Wood Fibered Plaster	P-5	01/10/68
KG2001483	Wood Fibered Plaster	P-5	01/10/68
KG2001484	Wood Fibered Plaster	P-5	01/10/68
KG2001485	Wood Fibered Plaster	P-5	01/15/69
KG2001486	Gypsum Wallboard 5/8" Null-A-Fire (UL)	B-6	02/01/61
KG2001487	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	04/29/63
KG2001488	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	10/09/64
KG2001491	Gypsum Wallboard 1/2" Null-A-Fire (UL) Type X	B-4	10/08/64
KG2001492	Gypsum Wallboard 1/2" Type X Super Null-A-Fire (UL)	B-4A	12/30/65
KG2001493	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	01/15/69
KG2001494	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 - 1 Hour	B-6B	04/01/71
KG2001495	Gypsum Board 1/2" Type X Super Null-A-Fire (UL)	B-4	04/01/77
KG2001496	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	04/01/77
KG2001497	K-Spray Ceiling Texture (Mineral Aggregate KSV)	J-5405 & J-5407	05/10/74
KG2001499	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001501	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001503	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2001505	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2001507	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001509	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001511	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001513	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001515	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001517	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2001519	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2001521	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001523	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001525	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001527	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2001529	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73

File Name	Product Name	Bulletin Number	Date
KG2001531	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001533	Cover-Tex Wall Texture	J-5303	06/03/74
KG2001534	K-Spray Ceiling Texture KSS	J-5503	04/26/74
KG2001535	K-Spray Ceiling Texture KSS	J-5503	09/13/71
KG2001536	K-Spray Ceiling Texture KSS	J-5503	09/01/72
KG2001537	K-Spray Ceiling Texture KSS	J-5503	09/13/71
KG2001538	K-Spray Ceiling Texture KSS	J-5503	08/23/73
KG2001539	Premix Joint Compound Dual-Purpose (Non-Asbestos)	J-6903	04/08/75
KG2001540	Premix Topping Compound	J-6803	05/28/74
KG2001541	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2001542	Premix Joint Compound Dual Purpose	J-6903	04/23/74
KG2001544	Joint Compound (Polymeric Base)	J-6003	03/28/72
KG2001547	Finishing Compound (Polymeric Base) FC-4	J-6103	03/28/72
KG2001550	Gypsum Board 3/8" Null-A-Fire Type X [ASTM C36]	B-2A	06/01/73
KG2001551	Gypsum Board 1/2" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	04/01/77
KG2001552	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	06/03/75
KG2001553	Gypsum Backerboard 1/2" Acoustibak Type X [ASTM C442]	B-8-A	01/15/69
KG2001554	Fire-Fighter Gypsumboard Type X [ASTM C707]	B-8B	09/29/72
KG2001555	Gypsum Wallboard 1/2" Moisture Guard Type X [ASTM C630]	B-40A	07/01/70
KG2001556	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C630]	B-41	07/01/70
KG2001557	5/8" Soffit Board Type X [ASTM C79]	B-44	02/15/73
KG2001558	5/8" Soffit Board Type X [ASTM C-630]	B-44	11/17/72
KG2001559	Fire-Block Gypsum Board Type X [ASTM C36]	B-8B	10/16/70
KG2001560	Gypsum Lath 1/2" Type X Super Duralath [ASTM C37]	B-15A	01/15/69
KG2001561	Gypsum Lath 1/2" Type X Super Duralath	B-15A	10/18/67
KG2001562	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster	B-15C	07/03/69
KG2001563	Gypsum Veneer Base 5/8" x 48" Wide Type X For Veneer Plaster [ASTM C588]	B-15C	01/15/69
KG2001564	Gypsum Wallboard 1/2" Type X Super Null-A-Fire (UL)	B-4A	12/30/65
KG2001565	Gypsum Wallboard 5/8" Null-A-Fire High Density Type X KW-503 -- 1 Hour [ASTM C36]	B-6B	04/01/71
KG2001566	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	04/01/77

File Name	Product Name	Bulletin Number	Date
KG2001567	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	09/12/75
KG2001569	Gypsum Wallboard 1/2" Moisture Guard Type X [ASTM C630]	B-40A	07/01/70
KG2001572	Gypsum Board 1/2" Type X Super Null-A-Fire (UL) [ASTM C36]	B-4	04/01/77
KG2001574	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	04/01/77
KG2001575	Gypsum Lath	B-2	05/07/56
KG2001579	Gypsum Lath	B-2	06/04/56
KG2001583	Gypsum Lath	B-2	01/07/57
KG2001587	Gypsum Lath	B-2	02/06/57
KG2001588	Gypsum Lath	B-2	04/17/57
KG2001589	Gypsum Lath	B-2	05/02/57
KG2001590	Gypsum Lath	B-2	07/23/57
KG2001591	Gypsum Lath	B-2	11/04/57
KG2001592	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	03/15/71
KG2001594	Gypsum Veneer Base Type X Super 1/2" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	06/03/75
KG2001598	Gypsum Wallboard 5/8" (Type X) Moisture Guard [ASTM C630]	B-41	03/15/74
KG2001601	Gypsum Wallboard 5/8" (Type X) Moisture Guard	B-41	03/15/74
KG2001604	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J05407	05/10/74
KG2001606	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001608	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001610	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001612	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001614	Filler Compound	J-5103	11/06/73
KG2001616	Radiant Heat Joint Compound	J-6003	02/09/71
KG2001617	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001618	One Day Joint Compound	J-6303	06/07/74
KG2001621	One Day Joint Compound Special Fast Set	J-6313	06/07/74
KG2001623	K-Spray Ceiling Texture KSS	J-5503	10/16/69
KG2001624	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001626	Scrimless Radiant Heat Surfacing Compound	J-5703	05/31/72
KG2001627	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001629	Premix Topping Compound	J-6803	04/08/74
KG2001630	Premix Topping Compound	J-6803	05/28/71
KG2001632	Premix Joint Compound Dual Purpose	J-6903	04/23/74

File Name	Product Name	Bulletin Number	Date
KG2001634	Premix Joint Compound Dual Purpose	J-6903	04/23/74
KG2001635	Premix Joint Compound Dual Purpose Vinyl Base	J-6903	No Date
KG2001636	Premix Joint Compound Dual Purpose	No Number	No Date
KG2001637	Premix Joint Compound Dual Purpose	J-6903	05/11/73
KG2001638	Premix Taping Compound	J-6603	09/06/72
KG2001640	Premix Taping Compound	Test Batch	Cancels 07/17/72
KG2001641	K-Spray Ceiling Texture Test Batch	J-5506	02/12/74
KG2001642	K-Spray Ceiling Texture	55-23	No Date
KG2001643	One Day Joint Compound	J-6303	06/07/74
KG2001646	One Day Joint Compound Special Fast Set	J-6313	06/07/74
KG2001648	Finishing Compound (Polymeric Base)	Test Batch	Cancels 02/24/72
KG2001649	Joint Compound Polymeric Base	Test Batch	Cancels 12/17/71
KG2001650	Filler Compound	J-5103	11/06/73
KG2001652	Cover-Tex Wall Texture	J-5303	06/03/74
KG2001654	Cover-Tex Wall Texture	J-5303	06/03/74
KG2001655	Cover-Tex Wall Texture	J-5303	06/03/74
KG2001657	Cover-Tex Wall Texture	J-5303	03/23/73
KG2001658	Cover-Tex Texture Paint TS	J-5203	10/21/69
KG2001660	Cover-Tex Wall Texture	J-5303	02/03/72
KG2001662	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001664	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001666	K-Spray Ceiling Texture KSS	J-5503 & J-5513	08/23/73
KG2001667	K-Spray Ceiling Texture KSS	J-5503	09/05/73
KG2001668	Radiant Heat Joint Compound	J-6003A	11/06/73
KG2001670	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2001672	Finishing Compound Casein Base	J-6103	09/25/69
KG2001673	Finishing Compound Casein Base	J-6103	08/25/69
KG2001674	One Day Joint Compound	J-6303	03/26/74
KG2001677	One Day Joint Compound Special Fast Set	J-6313	06/07/74
KG2001680	One Day Joint Compound	J-6303	06/07/74
KG2001684	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2001686	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2001687	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2001689	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2001691	3-Purpose Joint Compound	J-6403	08/25/69
KG2001692	Premix Topping Compound	J-6803	05/28/71
KG2001693	Premix Topping Compound	J-6803	05/28/71
KG2001694	Premix Topping Compound	J-6803	04/08/74

File Name	Product Name	Bulletin Number	Date
KG2001695	Premix Topping Compound	J-6803	04/08/74
KG2001696	Premix Topping Compound	J-6803	04/08/74
KG2001697	Premix Topping Compound	J-6803	04/08/74
KG2001698	Premix Topping Compound	J-6803	05/28/71
KG2001699	Premix Topping Compound	J-6803	05/28/71
KG2001700	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403	10/20/69
KG2001702	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001704	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001706	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001708	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001710	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001711	One Day Joint Compound	J-6303	09/23/70
KG2001712	One Day Joint Compound	J-6403	09/23/70
KG2001713	K-Spray Ceiling Texture KSS	J-5503	08/23/73
KG2001714	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001715	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001717	K-Spray Ceiling Texture KSS	J-5503	10/16/69
KG2001719	K-Spray Ceiling Texture	J-5503	03/23/73
KG2001721	K-Spray Ceiling Texture KSS	J-5503	05/26/71
KG2001722	K-Spray Ceiling Texture KSS	J-5503	01/11/71
KG2001723	K-Spray Ceiling Texture KSS	J-5503	04/20/70
KG2001724	Cover-Tex Wall Texture TSS	J-5303	10/30/69
KG2001725	Cover-Tex Wall Texture TSS	J-5303	02/03/72
KG2001727	Premix Topping Compound	J-6203	04/08/74
KG2001728	Premix Topping Compound	J-6803	05/28/71
KG2001729	Premix Joint Compound Dual Purpose Vinyl Base	J-6903	01/05/70
KG2001730	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001732	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001734	K-Spray Ceiling Texture	J-5503	04/26/74
KG2001735	K-Spray Ceiling Texture KSS	J-5503	04/26/74
KG2001736	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001738	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2001740	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001741	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001742	Premix Topping Compound (Non-Asbestos)	J-6803	03/10/75
KG2001743	Premix Topping Compound	J-6803	05/28/71

File Name	Product Name	Bulletin Number	Date
KG2001745	Premix Topping Compound Dual Purpose	J-6903	04/23/74
KG2001746	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001747	K-Spray Ceiling Texture	J-5503	04/26/74
KG2001748	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403 & J-5407	05/10/74
KG2001750	Radiant Heat Joint Compound	J-6003A	11/06/73
KG2001752	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001754	Finishing Compound (Polymeric Base)	J-6103	03/28/73
KG2001756	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2001758	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001760	Premix Topping Compound	J-6803	04/08/74
KG2001761	Cover-Tex Wall Texture	J-5303	12/17/74
KG2001762	Gypsum Dunnage ¾" Thick	B-54	12/31/67
KG2001763	Gypsum Dunnage 5/8" Thick	B-53	12/31/67
KG2001764	Gypsum Dunnage ½" Thick	B-52	12/31/67
KG2001765	Gypsum Dunnage ⅜" Thick	B-50	12/31/67
KG2001766	Gypsum Dunnage 3/8" Thick	B-51	12/31/67
KG2001767	½" Soffit Board [ASTM C79]	B-43	07/13/73
KG2001770	Gypsum Wallboard ½" Moisture Guard [ASTM C630]	B-40	07/01/70
KG2001773	Gypsum Wallboard ¾" - Type X	B-19	12/31/67
KG2001775	Gypsum Sheathing ½" Impregnated Core [ASTM C79]	B-13	09/15/70
KG2001778	Gypsum Sheathing ½" Plain Core [ASTM C79]	B-12	01/15/69
KG2001780	Gypsum Backerboard 1" Coreboard [ASTM C442]	B-10	05/22/70
KG2001785	Gypsum Backerboard 5/8" Acoustibak (UL) 5/8" Lath, Type X [ASTM C442]	B-9	09/22/70
KG2001788	Gypsum Backerboard ½" Acoustibak ½" Long Lath [ASTM C442 or C37]	B-8	01/15/69
KG2001790	Gypsum Backerboard 3/8" - Regular [ASTM C442]	B-7	01/15/69
KG2001793	Gypsum Wallboard 5/8" Null-A-Fire (UL) Type X	B-6	04/29/63
KG2001794	Gypsum Board 5/8" Regular [ASTM C36]	B-5	06/01/79
KG2001796	Gypsum Wallboard ½" Null-A-Fire (UL) Type X	B-4	10/08/64
KG2001798	Gypsum Board ½" Regular [ASTM C36]	B-3	12/01/77
KG2001800	Gypsum Board 3/8" Regular [ASTM C36]	B-2	06/01/73
KG2001802	Gypsum Board 1/4" Regular [ASTM C36]	B-1	06/01/73
KG2001804	5/16" Mobile Home Gypsum Board	B-1A	12/15/76
KG2001807	Joint Compound (Polymeric Base)	J-6003	03/28/73
KG2001809	3-Purpose Compound (Polymeric Base)	J-6403	03/28/73
KG2001811	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74
KG2001813	Gypsum Wallboard ½" Moisture Guard	B-40	04/13/67
KG2001816	5/8" Soffit Board	B-44	11/17/72
KG2001817	5/8" Soffit Board Type X [ASTM C79]	B-44	02/15/73

File Name	Product Name	Bulletin Number	Date
KG2001821	5/8" Soffit Board Type X [ASTM C630]	B-44	11/17/72
KG2001826	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	02/15/73
KG2001827	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	02/15/73
KG2001830	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	04/01/74
KG2001832	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	06/03/75
KG2001833	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	09/12/75
KG2001835	Gypsum Board 5/8" Null-A-Fire (UL) Type X [ASTM C36]	B-6	04/01/77
KG2001836	Gypsum Veneer Base Type X Super ½" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	12/01/69
KG2001840	Gypsum Veneer Base Type X Super ½" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	02/17/69
KG2001844	Gypsum Veneer Base Type X Super ½" x 48" Wide For Veneer Plaster [ASTM C588]	B-15D	04/15/69
KG2001847	Gypsum Veneer Base Type X Super ½" x 48" Wide For Veneer Plaster	B-15D	No Date
KG2001850	K-Spray Ceiling Texture	J-5503	09/13/71
KG2001858	Cover-Tex Wall Texture TSS	J-5303	05/06/71
KG2001859	Cover-Tex Wall Texture TSS	J-5303	04/20/70
KG2001860	Cover-Tex Wall Texture TSS	J-5303	10/30/69
KG2001862	Cover-Tex Texture Paint	J-5303	08/25/69
KG2001864	K-Spray Ceiling Texture	J-5503	04/26/74
KG2001866	K-Spray Ceiling Texture	J-5503	03/23/73
KG2001868	K-Spray Ceiling Texture (Mineral Aggregate) KSV	J-5403	10/20/69
KG2001870	5/8" Soffit Board Type X [ASTM C79]	B-44	07/13/73
KG2001873	5/8" Soffit Board Type X [ASTM C630]	B-44	11/17/72
KG2001876	Scrimless Radiant Heat Surfacing Compound	J-5703	03/12/74